



THIRD ANGLE PROJECTION






GLASS



PANEL

DO NOT SCALE - IF IN DOUBT ASK



NOTES

- 1 - TO PROVIDE A SMOOTH TRANSITION BETWEEN FLOOR AND PLATFORM LEVELS, AN 85mm DEEP PIT SHALL BE REQUIRED. IF A PIT IS NOT AVAILABLE, AN 85mm HIGH RAMP MAY BE PROVIDED.
- 2 - THE MAXIMUM HEADROOM REQUIRED IS A FUNCTION OF THE BASIC FLOOR TO FLOOR DIMENSION.
- 3 - THE APERTURE THROUGH THE FLOOR (IF APPLICABLE) SHALL BE IDENTICAL SIZE TO PIT DIMENSIONS AND SHALL BE DIRECTLY ALIGNED.
- 4 - THE DOOR ENTRY / EXIT POINTS MAY BE AMENDED TO EITHER A SAME SIDE OR ADJACENT ENTRY LAYOUT
- 5 - THIS DATA SHEET IS INTENDED FOR INFORMATION PURPOSES ONLY. WE RESERVE THE RIGHT TO AMEND ANY DESIGN ASPECTS WITHOUT PRIOR NOTICE.

D	29.7.09	NOTES 2 & 5 AMENDED
C	25.6.08	DOOR STYLE AMENDED
B	24.6.08	INFORMATION FORMALISED
A	23.10.07	NEW DRAWING
Iss	Date	Revision note
Date	Checked by	Date

Filename - 0230.70001D Scale - NTS Designed by - PD

Title  
**PLATFORM LIFT  
 LARGE PLATFORM WITH  
 MANUAL DOORS  
 (6mtr MAX TRAVEL)**

Dwg No **0230.70001** Issue **D**