




- NOTES**
- 1 -- TO PROVIDE A SMOOTH TRANSITION BETWEEN FLOOR AND PLATFORM LEVELS, AN 85mm DEEP PIT SHALL BE REQUIRED. IF A PIT IS NOT AVAILABLE AN 85mm HIGH RAMP MAY BE PROVIDED.
 - 2 -- THE MAXIMUM HEADROOM REQUIRED IS A FUNCTION OF THE BASIC FLOOR TO FLOOR DIMENSION.
 - 3 -- THE APERTURE THROUGH THE FLOOR (IF APPLICABLE) SHALL BE IDENTICAL SIZE TO PIT DIMENSIONS AND SHALL BE DIRECTLY ALIGNED.
 - 4 -- THE DOOR ENTRY / EXIT POINTS MAY BE AMENDED TO SAME SIDE
 - 5 -- THIS DATA SHEET IS INTENDED FOR INFORMATION PURPOSES ONLY. WE RESERVE THE RIGHT TO AMEND ANY DESIGN ASPECTS WITHOUT PRIOR NOTICE.



Iss	Date	Revision note
F	30.7.09	NOTES 2 & 5 AMENDED
E	13.10.08	DOOR OPEN DIMENSION AMENDED
D	5.8.08	FLOOR PIT SIZE AMENDED
C	25.6.08	DOOR STYLE AMENDED
B	24.6.08	INFORMATION FORMALISED
A	23.10.07	NEW DRAWING

Date	Checked by	Date

Filename - 0230.70005F Scale - NTS Designed by - PD

Title
PLATFORM LIFT
MEDIUM PLATFORM WITH
MANUAL DOOR AND GATE
(2mtr MAX TRAVEL)

Dwg No **0230.70005** **Issue** **F**